## LITHIUM CELLS OR BATTERIES TEST SUMMARY AND CERTIFICATION IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

## **BATTERY TRANSPORTION INFORMATION**

Name of cell, battery or product manufacture, as applicable:		Cell, battery or product manufacturer's contact information to include address, phone					
Item Name Model name : CR2032 N T23		nι	number, email address and website for more information:				
Internal cell: CR2032H							
Normal voltage 3V			Maxell, Ltd.				
Rated capacity 240mAh			5 Takumidai, Ono-Shi, Hyogo, 675-1322 Japan				
			Phone: (+81) 794-63-8054				
Item Description Lithium metal cell / battery			e-mail: md_tech_support@maxell.co.jp Web: https://www.maxell.co.jp				
Name of the test laboratory to include address, phone number,		Test report identification number:  Date of the test report:					
email address and website for more information		C-1804-7			May 30, 2018		
Mayall Ltd		, 55, 25.5					
Maxell, Ltd. 1 Koizumi, Oyamazaki, Oyamazaki-cho, Otokuni-gun, Kyoto,		List of test conducted and results(i.e. Pass/Fail)					
618-8525 Japan		List of test conducted and results(i.e. Pass/Fall)					
Phone: (+81) 75-956-4148						Ī	
e-mail: md_tech_support@maxell.co.jp			Test number	Designation	Results		
Web: https://www.maxell.co.jp				2 co.ga.c	- Toodillo		
TTOD. TREPOST TWITTENESS.JP						†	
			T-1	Altitude Simulation	Pass		
Description of cell or battery to include at a minimum: Lithium ion or					_		
Lithium metal cell or battery Mass; Watt-hour rating, or Lithium content, Physical description of the cell/battery; and Model Number			T-2	Thermal Test	Pass		
			т о	\ /:\ +:	D		
			T-3	Vibration	Pass		
Cell / battery Type : Lithium m	etal		T-4	Shock	Pass		
			1-4	OHOOK	1 433		
Cell or Battery Cell (Sing	le cell battery)		T-5	External short circuit	Pass		
1:41:							
Lithium content : <b>0.07</b> g			T-6	Impact / Crush	Pass		
Cell or Battery Weight : <b>3.3g</b>						1	
och of Battery Weight . 0.09			T-7	Overcharge *	Not applicable		
Physical description : Coin type			т.о.	F 15: 1	5		
			T-8	Forced Discharge	Pass		
			* Only secondary battery with protection element				
Peferance to accompled battery tecting Peferance to the revised			d edition of the Manual of Tests and			loos the call or battory	
Reference to assembled battery testing requirements, if applicable(i.e. 38.3.3 (f) Criteria used and to amount of the revised control of the revised requirements.					For air transport only: Does the cell or battery comply with the 30% State of Charge?		
and 38.3.3 (g))				•			
l N. C. F. Li					Not applicable		
Not applicable Revision 6					постаринсавие		
PRODUCT CLASSIFICATION FOR TRANSPORT/According to UNIDER)							
PRODUCT CLASSIFICATION FOR TRANSPORT(According to UN-DGP)							
,		FI	Proper Shipping Name:				
UN3090		Lithium Metal Batteries					
Signature with name and title of signatory as an indication of the							
validity information provided.		ТЬ	This document remains valid as long as no changes, modifications or additions are made				
•			to the model(s) described in this document, after being transported from a Manufacturer				
K = K		M	MAXELL, LTD. The model(s) has(have) been classified according to the applicable transport regulations and the UN Manual of Tests and Criteria as of the date of the certification. The model(s) must be packaged, labeled and documented according to				
			country and other international regulations for transportation.				
1			,		F		
Phone: (+81) 794-63-8054 e-mail: md_tech_support@maxell.co.jp							
Date document was generated							
January 1, 2025							