LITHIUM CELLS OR BATTERIES TEST SUMMARY AND CERTIFICATION IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

BATTERY TRANSPORTION INFORMATION

Name of cell, battery or product manufacture, as applicable:		Cell, battery or product manufacturer's contact information to include address, phone					
Item Name Model name : CR2050HR SBO-T23		nι	number, email address and website for more information:				
Internal cell: CR2050HR							
Normal voltage 3V			Maxell, Ltd.				
Rated capacity 350mAh			5 Takumidai, Ono-Shi, Hyogo, 675-1322 Japan Phone: (+81) 794-63-8054				
Item Description Lithium metal cell	/ battery		e-mail: md_tech_support@maxell.co.jp				
			Web: https://	/www.maxell.co.jp			
Name of the test leberation to include add		Τ.	Sees and Inland	CC - Alice - complete		In the state of warrants	
Name of the test laboratory to include addre- email address and website for more informa		Test report identification number: C-1910-12				Date of the test report: October 15, 2019	
Marrall Ltd		October 15, 20				October 15, 2019	
Maxell, Ltd. 1 Koizumi, Oyamazaki, Oyamazaki-cho, Otokuni-gun, Kyoto,		List of test conducted and results(i.e. Pass/Fail)					
618-8525 Japan							
Phone: (+81) 75-956-4148							
e-mail: md_tech_support@maxell.co.jp			Test number	Designation	Results		
Web: https://www.maxell.co.jp						1	
			T-1	Altitude Simulation	Pass		
Description of cell or battery to include at a minimum: Lithium ion or			T-2	Thermal Test	Pass		
Lithium metal cell or battery Mass; Watt-hou content, Physical description of the cell/batte	O ,		'-	THOMAS 1 CC.	1 400		
Content, 1 Hydrodi doddiphon or the companie	ay, and woder Hames.		T-3	Vibration	Pass		
Cell / battery Type : Lithium m	netal		T 4	Charle	Pass		
			T-4	Shock	Pass		
Cell (Single cell battery)			T-5	External short circuit	Pass		
Lithium content : 0.1g	Lithium content : 0.1g		T-6	Impact / Crush	Pass		
Cell or Battery Weight : 4.3g Physical description : Coin type			T-7	Overcharge *	Not applicable		
			T-8	Forced Discharge	Pass		
			* Only secondary battery with protection element				
Defended to the second of the			edition of the Manual of Tests and For air transport only: Doe			N 4h II h44	
Reference to assembled battery testing requirements, if applicable(i.e. 38.3.3 (f) and 38.3.3 (g))					For air transport only: Does the cell or battery comply with the 30% State of Charge?		
Not applicable Revision 6, Amendment		. 1			Not applicable		
PRODUCT CLASSIFICATION FOR TRA				PORT(According to U	N-DGP)		
			Proper Shipping Name:				
UN3090			Lithium Metal Batteries				
Signature with name and title of signatory as an indication of the							
validity information provided.		Tŀ	This document remains valid as long as no changes, modifications or additions are made				
Keisuke Kawabe / Senior Manager, MD Engineering Departme			to the model(s) described in this document, after being transported from a Manufacturer MAXELL, LTD. The model(s) has(have) been classified according to the applicable				
Signature			transport regulations and the UN Manual of Tests and Criteria as of the date of the				
K. Kawahe			certification. The model(s) must be packaged, labeled and documented according to country and other international regulations for transportation.				
			ranti y and our	er international regulation	ons for transportation.		
Phone: (+81) 794-63-8054 e-mail: md_tech_support@maxell.co.jp							
Date document was generated							
January 1, 2025							