LITHIUM CELLS OR BATTERIES TEST SUMMARY AND CERTIFICATION IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

BATTERY TRANSPORTION INFORMATION

Name of cell, battery or product manufacture, as applicable:	Ce	Cell, battery or product manufacturer's contact information to include address, phone					
		Imber, email address and website for more information:					
Item Name Model name : CR2450HR SBO-T23							
Internal cell : CR2450HR Normal voltage 3V		Maxell, Ltd.					
Rated capacity 550mAh		5 Takumidai, Ono-Shi, Hyogo, 675-1322 Japan					
Harry Darasiation Lithium motal coll / hattony		Phone: (+81) 794-63-8054					
Item Description Lithium metal cell / battery		e-mail: md_tech_support@maxell.co.jp Web: https://www.maxell.co.jp					
		· ·· /					
Name of the test laboratory to include address, phone number,	Test report identification number: Date of				Date of the test report:		
email address and website for more information		C-1910-13	October 15, 2019				
Maxell, Ltd.							
1 Koizumi, Oyamazaki, Oyamazaki-cho, Otokuni-gun, Kyoto,	Lis	ist of test conducted and results(i.e. Pass/Fail)					
618-8525 Japan Phone: (+81) 75-956-4148				T	Ţ		
e-mail: md_tech_support@maxell.co.jp		Test number	Designation	Results			
Web: https://www.maxell.co.jp							
		T-1	Altitude Simulation	Pass			
De l'attant af a l'ant attant à include et a minimum l'ithium ion or	┨				+		
Description of cell or battery to include at a minimum: Lithium ion or Lithium metal cell or battery Mass; Watt-hour rating, or Lithium		T-2	Thermal Test	Pass			
content, Physical description of the cell/battery; and Model Number		T-3	Vibration	Pass	†		
		. ,	VIDIGUOII	1 433	<u> </u>		
Cell / battery Type : Lithium metal		T-4	Shock	Pass			
Cell (Single cell battery)		T-5	External short circuit	Pass			
Lithium content : 0.15g		T-6	Impact / Crush	Pass			
Cell or Battery Weight : 7.0g		T-7	Overcharge *	Not applicable			
Physical description : Coin type		T-8	Forced Discharge	Pass			
		* Only secondary battery with protection element					
	L						
Reference to assembled battery testing equirements, if applicable(i.e. 38.3.3 (f) and 38.3.3 (g))				For air transport only: Does the cell or battery comply with the 30% State of Charge?			
Not applicable Revision 6, Amendment	t 1			Not applicable			
Trevision o, Americanien							
PROPULAT OF ACCULATION FOR TRANSPORTIAN AND A 11/1 CCC.							
PRODUCT CLASSIFICATION FOR TRANSPORT(According to UN-DGP) UN Classification, Proper Shipping Name:							
		Lithium Metal Batteries					
UN3090	L	Lithium Metal Batteries					
Signature Signature		This document remains valid as long as no changes, modifications or additions are made to the model(s) described in this document, after being transported from a Manufacturer MAXELL, LTD. The model(s) has(have) been classified according to the applicable transport t					
							transport regulations and the UN Manual of Tests and Criteria as of the date of the certification. The model(s) must be packaged, labeled and documented according to country and other international regulations for transportation.
		Phone: (+81) 794-63-8054					
		e-mail: md_tech_support@maxell.co.jp					
Date document was generated	1						
January 1, 2025							